



Dishwashing appliances 2009 / 2010

The future moving in.

SIEMENS

The world's easiest and
most flexible dishwashers.





**Zeolith®-
Drvina**

Zeolith® Drying - Innovative Dishwashing Technology

This innovative technology can be used for further reduction of energy consumption or cycle times. Zeolith is the name for a group of minerals with crystalline structure and the ability to absorb and desorb humidity. Zeolith is regenerated during the cleaning phase of every wash cycle, thus the lifecycle will equal the lifecycle of the actual appliance.



dosageAssist

Dosage Assist

Reliable cleaning everytime. Special tray for dissolving of detergent tabs. Convenient loading of detergent, controlled and fast dissolving everytime. Clean handling.



varioDrawer

Vario Drawer

More loading capacity with Vario Drawer 12+2=14, extra room for small dishes and bigger cutlery items. Easy loading of wine glasses in the upper basket.



**Automatic
programme**

Auto 45°C-65°C

Always the best performance in the most efficient way. The auto program adapts the water consumption, water temperature and cycle time to the soiling level of the dishes. Ideal program for every day use.



intensiveZone

Intensive zone

New Intensive Zone option is the solution for mixed loads. Heavily soiled and delicate dishes are perfectly cleaned in one the same cycle. The entire lower basket is converted into a heavy duty cleaning zone by increasing water pressure and the cleaning temperature in the lower basket, whilst water pressure stays according to the selected program in the upper basket.



rackMatic

Rackmatic

The height of the dishwashers top basket can easily be adjusted by 5cm, even when fully loaded. This means that bulky items such as tall glasses in the top basket or large plates in the bottom one can easily be accommodated without having to re-arrange absolutely everything.



varioSpeed

Vario Speed

Top results in half the time. You now have the option of running your preferred washing programme at twice the speed instead of its normal speed simply by pressing a button. the Vario Speed function adopts the temperature and volume of the water used accordingly.



HalfLoad

Half load

A reduced dish load can be washed – it's your choice to use the top or bottom basket. Reduction of Energy (up to 15%) and water (up to 25%) consumption.



GlassProtect

GlassProtect, the Siemens glass-care system offers many benefits...

Glass and Porcelain are washed with the greatest possible care. Innovative solutions like the Heat Exchanger, Aqua Sensors and AquaMix guarantees optimal protection for your most valued glassware.



AquaVario

AquaVario

Your finest glasses can now get the same treatment as a hand wash by a Siemens dishwasher with AquaVario. By automatically adjusting the force of the spray to the level of soiling, i.e. low pressure for fragile glasses and delicate porcelain and a high pressure for heavily soiled pots and pans.



Heat Exchanger

Heat exchanger

The Heat Exchanger system reduces water and electricity consumption. This unique system uses heat from subsequent rinse cycles, which ensures smooth temperature transitions and spotless drying. Another advantage of the Heat Exchanger is that it dries dishes by condensation using residual heat.



AquaStop

Aqua-Stop

The Aqua-stop safety system prevents any kind of water damage. No matter whether it occurs at the feed or drain hose or through a leak in the appliance itself.



aquaSensor

Aqua Sensor


The Aqua Sensor can detect if the rinse water is clean enough to be used in the next wash cycle, thus decreasing water consumption by 3-6 litres. When the level of soiling is too high the water is replaced by fresh water

SN66T052EU



Product Description	FULLY INTEGRATED TOUCH CONTROL DISHWASHER 5 TEMPERATURES
Programmes	Auto 65°-75°C, Auto 45°-65°, Auto 35°-45°C, Eco 50°C, Quick wash 45°C, Pre-rinse Special function: VarioSpeed / Half Load / Intensive Zone / EnergySave
Comfort and Safety	Capacity: 13 place setting GlassProtec – Glass and porcelain are washed with greatest possible care Aqua Sensor – a light barrier recognises the dirt in the water and continues with less soiled water Aqua Vario – the force of spray gets automatically adjusted according to the level of soiling Heat Exchanger – for hygienic drying, prevents thermal shock Auto 3 in 1 detergent detection for the best rinsing and wash result Curved Slim Spray Arms Electronic delay timer (1 – 24hrs) Electronic time remaining display, low salt and rinse aid indicator Height adjustable top basket with 3-stage RackMatic Fold down racks in top basket (6x) and bottom basket (6x) Infolight and alarm to indicate signal end 3-fold corrugated filter system Aqua Stop with guarantee against flooding Dishwasher cavity: Stainless Steel
Product Specs	Silence: 42 dB Consumption Rate: Eco 50°C / 10l / 0.98kWh Rating 2300W Unit dimensions (H x W x D): 81.5 x 59.8 x 55.0 cm Aperture (H x W x D): 81.5 – 87.5 x 60.0 x 55.0 cm


(Available 2nd quarter of 2009)



SN66T091EU



Product Description	FULLY INTEGRATED DISHWASHER 5 TEMPERATURES
Programmes	Auto 65°-75°C, Auto 45°-65°, Auto 35°-45°C, Eco 50°C, Quick wash 45°C, Pre-rinse Special function: VarioSpeed/ Half Load / Intensive Zone / Sanitation
Comfort and Safety	Capacity: 14 place setting GlassProtec – Glass and porcelain are washed with greatest possible care Aqua Sensor – a light barrier recognises the dirt in the water and continues with less soiled water Aqua Vario – the force of spray gets automatically adjusted according to the level of soiling Heat Exchanger – for hygienic drying, prevents thermal shock Auto 3 in 1 detergent detection for the best rinsing and wash result Curved Slim Spray Arms Electronic delay timer (1 – 24hrs) Electronic time remaining display, low salt and rinse aid indicator Three loading levels Height adjustable top basket with 3-stage RackMatic Fold down racks in top basket (6x) and bottom basket (6x) Infolight and alarm to indicate signal end 3-fold corrugated filter system Aqua Stop with guarantee against flooding Dishwasher cavity: Stainless Steel
Product Specs	Unit dimensions (H x W x D): 81.5 x 59.8 x 55.0 cm Aperture (H x W x D): 81.5 – 87.5 x 60.0 x 55.0 cm Consumption rate: Eco 50°C / 10l / 0.98 kWh Noise Level: 41 dB Rating: 2300 W



SF64M330GB




Product Description	45CM FULLY INTEGRATED DISHWASHER 3 TEMPERATURES
Programmes	Normal 65°C, Eco 50°C, Quick Wash 35°C, Pre-rinse
Comfort and Safety	Capacity: 9 place setting Aqua Sensor – a light barrier recognises the dirt in the water and continues with less soiled water Heat Exchanger – for hygienic drying, prevents thermal shock Electronic salt regeneration Low Salt aid and Rinse aid indicator Height adjustable top basket with RackMatic Fold-down racks in bottom basket Baking tray spray head Acoustic signal and light at cycle end Aqua Stop with guarantee against flooding Dishwasher cavity: stainless steel
Product Specs	Overall (H x W x D): 81.0 x 44.8 x 55.0 cm Consumption rate: E co 50°C / 13l / 0.8 kWh Noise level: 52 dB Rating: 2500 W



SN45M530EU



Product Description	60CM STAINLESS STEEL BUILT-UNDER DISHWASHER 4 TEMPERATURES
Programmes	Intensive 70°C, Auto 45°-65°C, Economy 50°C, Quick Wash 45°C, Pre Rinse Special functions: VarioSpeed / Half Load
Comfort and Safety	Capacity: 13 place settings Aqua Sensor – a light barrier recognises the dirt in the water and continues with less soiled water Aqua Vario – the force of spray gets automatically adjusted according to the level of soiling Auto 3 in 1 detergent detection for the best rinsing and wash result Curved Slim Spray Arms Electronic delay timer (1 –24 hrs) Electronic time remaining display, low salt and rinse aid indicator Height adjustable top basket with 3-stage RackMatic Fold down racks in top basket (2x) and bottom basket (4x)ASF 3-fold corrugated filter system Aqua Stop with guarantee against floodingASF Dishwasher cavity: Stainless Steel
Product Specs	Dimensions (H x W x D): 81.5 x 59.8 x 57.3 cm Aperture (H x W x D): 81.5 –87.5 x 60.0 x 56.7 cm Consumption rates: E co 50°C / 12l / 1.05 kWh Noise Level: 48 dB Rating: 2300 Watt



The world's easiest and most flexible dishwashers.





Zeolith®-Drvrina

Zeolith® Drying - Innovative Dishwashing Technology

This innovative technology can be used for further reduction of energy consumption or cycle times. Zeolith is the name for a group of minerals with crystalline structure and the ability to absorb and desorb humidity. Zeolith is regenerated during the cleaning phase of every wash cycle, thus the lifecycle will equal the lifecycle of the actual appliance.



dosageAssist

Dosage Assist

Reliable cleaning everytime. Special tray for dissolving of detergent tabs. Convenient loading of detergent, controlled and fast dissolving everytime. Clean handling.



varioDrawer

Vario Drawer

More loading capacity with Vario Drawer 12+2=14, extra room for small dishes and bigger cutlery items. Easy loading of wine glasses in the upper basket.



Automatic programme

Auto 45°C-65°C

Always the best performance in the most efficient way. The auto program adapts the water consumption, water temperature and cycle time to the soiling level of the dishes. Ideal program for every day use.



GlassProtect

GlassProtect, the Siemens glass-care system offers many benefits...

Glass and Porcelain are washed with the greatest possible care. Innovative solutions like the Heat Exchanger, Aqua Sensors and AquaMix guarantees optimal protection for your most valued glassware.



intensiveZone

Intensive zone

New Intensive Zone option is the solution for mixed loads. Heavily soiled and delicate dishes are perfectly cleaned in one the same cycle. The entire lower basket is converted into a heavy duty cleaning zone by increasing water pressure and the cleaning temperature in the lower basket, whilst water pressure stays according to the selected program in the upper basket.



AquaVario

AquaVario

Your finest glasses can now get the same treatment as a hand wash by a Siemens dishwasher with AquaVario. By automatically adjusting the force of the spray to the level of soiling, i.e. low pressure for fragile glasses and delicate porcelain and a high pressure for heavily soiled pots and pans.



rackMatic

Rackmatic

The height of the dishwashers top basket can easily be adjusted by 5cm, even when fully loaded. This means that bulky items such as tall glasses in the top basket or large plates in the bottom one can easily be accommodated without having to re-arrange absolutely everything.



Heat Exchanger

Heat exchanger

The Heat Exchanger system reduces water and electricity consumption. This unique system uses heat from subsequent rinse cycles, which ensures smooth temperature transitions and spotless drying. Another advantage of the Heat Exchanger is that it dries dishes by condensation using residual heat.



varioSpeed

Vario Speed

Top results in half the time. You now have the option of running your preferred washing programme at twice the speed instead of its normal speed simply by pressing a button. the Vario Speed function adopts the temperature and volume of the water used accordingly.



AquaStop

Aqua-Stop


The Aqua-stop safety system prevents any kind of water damage. No matter whether it occurs at the feed or drain hose or through a leak in the appliance itself.



HalfLoad

Half load

A reduced dish load can be washed – it's your choice to use the top or bottom basket. Reduction of Energy (up to 15%) and water (up to 25%) consumption.



aquaSensor


Aqua Sensor

The Aqua Sensor can detect if the rinse water is clean enough to be used in the next wash cycle, thus decreasing water consumption by 3-6 litres. When the level of soiling is too high the water is replaced by fresh water

SN26T552EU




Product Description	60CM STAINLESS STEEL DISHWASHER 5 TEMPERATURES
Programmes	Auto 65°-75°C, Auto 45°-65°C, Auto 35°-45°C, Economy 50°C, Quick wash 45 °C, Pre Rinse Special functions: VarioSpeed/ Half Load / Intensive Zone / Energy Save
Comfort and Safety	Capacity: 13 place settings Zeolith drying GlassProtect—Glass and porcelain are washed with greatest possible care AquaSensor—a light barrier recognises the dirt in the water and continues with less soiled water AquaVario System —the force of spray gets automatically adjusted according to the level of soiling Heat Exchanger —for hygienic drying, prevents thermal shock Auto 3 in 1 detergent detection for the best rinsing and wash result Curved Slim Spray Arms metalTouch operation LCD control panel with plain text Electronic delay timer (1 –24hrs) Height adjustable top basket with 3-stage RackMatic Fold down racks in top basket (6x) and bottom basket (6x) Alarm to indicate cycle end 3-fold corrugated filter system Aqua Stop with guarantee against flooding Dishwasher cavity: Stainless Steel
Product Specs	Dimensions (H x W x D): 84.5 x 60.0 x 57.3 cm Consumption rate: E co 50°C / 12l / 1.05 kWh Noise level: 41 dB Rating: 2300 Watt



SE24M863EU



Product Description	DISHWASHER, SILVER INOX DOOR PANEL, ANTI-FINGERPRINT 5 TEMPERATURES
Programmes	Intensive 70°C, Auto 55 °C - 65 °C, Eco 50°C, Quick Wash 45°C Special functions: VarioSpeed
Comfort and Safety	Capacity: 12 place setting Aqua Sensor – a light barrier recognises the dirt in the water and continues with less soiled water Auto 3 in 1 detergent detection for the best rinsing and wash result Curved Spray Arms Electronic delay timer (1 - 19 hrs) Electronic time remaining display, low salt and rinse aid indicator Height adjustable top basket with RackMatic Aqua Stop with guarantee against flooding Dishwasher cavity: Stainless Steel / Polinox
Product Specs	Dimensions (H x W x D): 85.0 x 60.0 x 60.0cm Consumption rate: Eco 50°C / 13l / 1.05kWh Noise level: 49dB Rating 2300W




SE26T290EU



(While stocks last)


Product Description	60CM DISHWASHER 6 TEMPERATURES
Programmes	Auto 65 °C - 75 °C, Auto 55°C - 65°C, Auto 35°C - 45°C, Eco 50°C, Quick Wash 45°C, Pre-rinse Special functions: VarioSpeed / Half Load
Comfort and Safety	Number of standard place settings: 14 GlassProtect – Glass and porcelain are washed with greatest possible care. AquaSensor – A light barrier recognises the dirt in the water and continues with less soiled water. Heat Exchanger – For hygienic drying prevents thermal shock. Auto 3-in-1 – Detergent detection for the best rinsing and wash result 5 Spray levels with curved spray arms. Electronic delay timer (1-19 hrs). Electronic time remaining display, low salt and rinse aid indicator. Electronic salt regeneration. Height adjustable top basket with RackMatic. Fold down racks in top and bottom basket. Baking tray spray head. Acoustic signal to indicate cycle end. Aqua Stop with guarantee against flooding Dishwasher cavity: stainless steel
Product Specs	Dimensions (H x W x D): 81.0 X 60.0 X 60.0 cm Consumption rate: E co 50°C / 12 l / 1.05 kWh Noise level: 44 dB Rating: 2300 W



SN26T290EU




Product Description	60CM WHITE DISHWASHER 6 TEMPERATURES
Programmes	Auto 65 °C - 75 °C, Auto 45 °C - 65 °C, Auto 35 °C - 45 °C, Eco 50°C, Quick wash 45°C, Pre-rinse Special functions: VarioSpeed / Half Load / Sanitation / Intensive Zone
Comfort and Safety	Number of standard place settings: 14 GlassProtect – Glass and porcelain are washed with greatest possible care. Aqua Sensor – a light barrier recognises the dirt in the water and continues with less soiled water AquaVario System – the force of spray gets automatically adjusted according to the level of soiling Heat Exchanger – for hygienic drying, prevents thermal shock Auto 3 in 1 detergent detection for the best rinsing and wash result 5 Spray levels with curved spray arms metalTouch operation LCD control panel with plain text Remaining time, low salt and rinse aid indicator Electronic delay timer (1-24hrs) Height adjustable top basket with 3 stage RackMatic Fold down racks in top basket (6x) and bottom basket (6x) 3-fold corrugated filter system Acoustic end of cycle indicator Aqua Stop with guarantee against flooding Dishwasher cavity: Stainless Steel
Product Specs	Dimensions (H x W x D): 84.5 x 60.0 x 60.0 cm Consumption rate: E co 50°C / 10l / 0.98kWh Noise Level: 40 dB Rating: 2300 W



SN25M200EU



Product Description	60CM WHITE DISHWASHER 4 TEMPERATURES
Programmes	Intensive 70°C, Auto 45 °C - 65 °C, Eco 50°C, Quick Wash 45°C, Pre-Rinse Special functions: Vario Speed
Comfort and Safety	Number of standard place settings: 13 Aqua Sensor – a light barrier recognises the dirt in the water and continues with less soiled water AquaVario System – the force of spray gets automatically adjusted according to the level of soiling Auto 3 in 1 detergent detection for the best rinsing and wash result 5 Spray levels with Curved Spray arms Electronic delay timer (1 -24 hrs) Electronic time remaining display, low salt and rinse aid indicator Height adjustable top basket with 3 stage RackMatic Fold down racks in top baskets (2x) and bottom basket (2x) 3-fold corrugated filter system Aqua Stop with guarantee against flooding Dishwasher cavity: Stainless Steel
Product Specs	Dimensions (H x W x D): 84.5 x 60.0 x 60.0 cm Consumption rate: E co 50°C / 12l / 1.05kWh Noise level: 48 dB Rating: 2300 W



SE25E258EU



Product Description	60CM WHITE DISHWASHER 4 TEMPERATURES
Programmes	Intensive 70°C, Normal 65°C, Eco 50°C, Quick Wash 45°C, Pre-Rinse Special functions: Half Load
Comfort and Safety	Auto 3 in 1 detergent detection for the best rinsing and wash result 5 spray levels with curved spray arms Electronic delay timer (1-19 hrs) and time remaining display Low salt and rinse aid indicator Dishwasher cavity: stainless steel
Product Specs	Dimensions (H x W x D): 85.0 x 60.0 x 60.0 cm Consumption rate: E co 50°C / 17l / 1.05kWh Noise level: 54 dB Rating: 2300 W



SF25M853EU


Product Description	45CM SILVER INOX DISHWASHER 4 TEMPERATURES
Programmes	Intensive 70°C, Normal 65°C, Eco 50°C, Quick Wash 45°C, Pre-rinse Special function: Vario Speed
Comfort and Safety	Capacity: 9 place setting Auto 3 in 1 detergent detection for the best rinsing and wash result Curved Spray arms Low salt and rinse aid indicator Electronic delay timer (1 - 19 hrs) and remaining time display Height adjustable top basket Fold down racks in bottom basket (2x) Aqua Stop with guarantee against flooding Dishwasher cavity: stainless steel
Product Specs	Dimensions (H x W x D): 85.0 x 45.0 x 60.0 cm Consumption rate: Eco 50°C / 11l / 0.80kWh Silence: 52 dB Rating: 2300 W



AquaStop varioSpeed


SF25M253EU


Product Description	45CM WHITE DISHWASHER 4 TEMPERATURES
Programmes	Intensive 70°C, Normal 65°C, Eco 50°C, Quick Wash 45°C, Pre-rinse Special function: Vario Speed
Comfort and Safety	Capacity: 9 place setting Auto 3 in 1 detergent detection for the best rinsing and wash result Curved spray arms Low salt and rinse aid indicator Electronic delay timer (1-19 hrs) and remaining time display Height adjustable top basket Fold down racks in bottom basket (2x) Aqua Stop with guarantee against flooding Dishwasher cavity: stainless steel
Product Specs	Dimensions (H x W x D): 85.0 x 45.0 x 60.0 cm Consumption Rate: Eco 50°C / 11 litres / 0.80 kWh Silence: 52 dB Rating: 2300 W



AquaStop varioSpeed





3 YEAR
GUARANTEE
FREESTANDING APPLIANCES
SIEMENS



5 YEAR
GUARANTEE
BUILT-IN APPLIANCES
SIEMENS

The world around us has become a myriad of change and confusion. We are constantly being cluttered with contradictions and complications that we somehow have to sort through on a daily basis, certain traits have however managed to stand out above the rest and rise out from the clutter.

Quality and style happen to be two of these most sought after traits in today's society. Traits that are truly worth searching for, worth waiting for, and unfortunately far too rare in a world that all too often manages to confuse what is really important to us in our daily lives.

It is this often-illusory search for true quality and style that leads us to something special. The Siemens 3 and 5 Year Guarantee is truly something special. The name Siemens epitomizes true quality and guarantees that you can move into the future with style and confidence.

Midrand

Siemens Domestic Appliances
Private Bag X36
Randjespark
Halfway House 1685
Rep. of South Africa

Visitors:

Fifteenth Road
Randjespark
Midrand

Tel: (011) 265-7800
Fax: (011) 265-7817

Cape Town

Siemens Domestic Appliances
Post Net Suite #248
Private Bag X19,
Milnerton 7435
Rep. of South Africa

Visitors:

Shop No. 1, Marconi Centre
460 Koeberg Road,
Milnerton 7441

Tel: (021) 550-9900
Fax: (021) 552-9205/6

BSH Service Centre

Tel: 0860 026 724
Fax: 0861 171 780
E-mail: applianceserviceza@bshg.com
E-mail: callcentre@anvilconstult.co.za

Spare Parts

Tel: (011) 265-7853
Fax: (011) 265-7850

www.siemensappliances.co.za

Please note that certain features apply to particular products.
No responsibility can be accepted for printing errors.