



## Freestanding appliances 2009 / 2010

The future moving in.

**SIEMENS**

# Green in your environment. Siemens in your kitchen.

## Energy efficiency ratings

At Siemens our aim is to not only provide you with reliable, high quality products that make your life easier, but to also protect and promote a sustainable environment for future generations. This means that every time we design a new product our ideas are based on ecological principles, to ensure that we make the most economic use of natural resources, and avoid pollution of the air, soil and water.

Energy efficiency ratings Energy efficiency labels are informative labels affiliated to manufactured products. These labels are able to indicate a products energy performance in order to provide consumers with the necessary data for making informed purchase decisions.


The more efficient a product is the less energy it requires and the more you get for your money. Not only is this saving of electricity good for your wallet, but it is good for the environment too; between 1995 and 2000 there has been a saving of three-quarter million-tons of CO2 alone in Europe, by improving the technique of large household appliances. Siemens have managed to assist in this manner and have exceeded all levels of expectations as well as government regulations by achieving the ultimate in energy ratings. Further proof that with Siemens you can move into the future with confidence.

The energy label ranks the appliance's efficiency from "A+" to "G".

These are categorised as follows:

Class A+                   excellent  
Class A – C               good  
Class D                    average  
Class E – G               poor

90% of Siemens fridges have a rating of A or above with 40% of these units possessing the ultimate rating of A+.



### **Fridges and freezers energy labeling**

Fridges and freezers are the most hardworking appliances in your kitchen as they are on the go 24 hours a day, seven days a week. The energy label is able to provide information about their performance and physical characteristics. These include the annual consumption of energy (in kWh p/a) as well as the storage volume of the compartments (in Litres). All Siemens cooling appliances, even the entry level models have very efficient energy ratings. It is important to note that the energy label supplies you with the net volume as opposed to the gross volume of the unit. This is the usable volume of the fridge as opposed to the overall volume, and can therefore be relatively important when making a decision as to which unit is best for you. Siemens cooling products have been converted to CFC and HFC free materials in 1993 already. This means that the harmful substances previously used in the insulation materials have been replaced with environmentally friendly natural gases which do not damage the ozone layer or increase the harmful greenhouse effect.

### **Dishwashers energy labeling**

The energy label for dishwashers has gradually been introduced to the whole of Europe since 1999. The aim of this is to reduce energy consumption, while at the same time not having any adverse effect on the cleaning and drying performance of the appliance. Dishwashers, in general, use the Eco50°C programme as its standard programme upon which energy consumption is rated. The energy label for dishwashers comprises 3 classifications namely:

- Energy efficiency
- Cleaning performance
- Drying performance

The values are determined according to the re-formulated norm EN50242.

### **Washing machines energy labeling**

The aim of the energy efficiency label is to offer consumers a standardised method of choosing the most energy efficient appliance, while at the same time offering you the best possible washing results.

The Cotton 60°C program is used as its standard program upon which energy efficiency, washing performance and spin-drying performance levels are rated.

The energy label for washing machines comprises 3 classifications (ranging from "A" to "G" rating) namely:

- Energy efficiency
- Washing performance
- Spin-drying performance

The values are determined according to the reformulated norm EN60456.

### **Tumble dryers energy labeling**

There is a difference between condensation and vented dryers, with condensation dryers having a lower energy efficiency than vented dryers, due to a higher energy usage.

The world's easiest and most flexible dishwashers.





**Zeolith®-  
Drying**

**Zeolith® Drying - Innovative Dishwashing Technology**

This innovative technology can be used for further reduction of energy consumption or cycle times. Zeolith is the name for a group of minerals with crystalline structure and the ability to absorb and desorb humidity. Zeolith is regenerated during the cleaning phase of every wash cycle, thus the lifecycle will equal the lifecycle of the actual appliance.



**dosageAssist**

**Dosage Assist**

Reliable cleaning everytime. Special tray for dissolving of detergent tabs. Convenient loading of detergent, controlled and fast dissolving everytime. Clean handling.



**varioDrawer**

**Vario Drawer**

More loading capacity with Vario Drawer 12+2=14, extra room for small dishes and bigger cutlery items. Easy loading of wine glasses in the upper basket.



**Automatic  
programme**

**Auto 45°C-65°C**

Always the best performance in the most efficient way. The auto program adapts the water consumption, water temperature and cycle time to the soiling level of the dishes. Ideal program for every day use.



**intensiveZone**

**Intensive zone**

New Intensive Zone option is the solution for mixed loads. Heavily soiled and delicate dishes are perfectly cleaned in one the same cycle. The entire lower basket is converted into a heavy duty cleaning zone by increasing water pressure and the cleaning temperature in the lower basket, whilst water pressure stays according to the selected program in the upper basket.



**rackMatic**

**Rackmatic**

The height of the dishwashers top basket can easily be adjusted by 5cm, even when fully loaded. This means that bulky items such as tall glasses in the top basket or large plates in the bottom one can easily be accommodated without having to re-arrange absolutely everything.



**varioSpeed**

**Vario Speed**

Top results in half the time. You now have the option of running your preferred washing programme at twice the speed instead of its normal speed simply by pressing a button. the Vario Speed function adopts the temperature and volume of the water used accordingly.



**HalfLoad**

**Half load**

A reduced dish load can be washed – it's your choice to use the top or bottom basket. Reduction of Energy (up to 15%) and water (up to 25%) consumption.



**GlassProtect**

**GlassProtect, the Siemens glass-care system offers many benefits...**

Glass and Porcelain are washed with the greatest possible care. Innovative solutions like the Heat Exchanger, Aqua Sensors and AquaMix guarantees optimal protection for your most valued glassware.



**AquaVario**

**AquaVario**

Your finest glasses can now get the same treatment as a hand wash by a Siemens dishwasher with AquaVario. By automatically adjusting the force of the spray to the level of soiling, i.e. low pressure for fragile glasses and delicate porcelain and a high pressure for heavily soiled pots and pans.



**Heat Exchanger**

**Heat exchanger**

The Heat Exchanger system reduces water and electricity consumption. This unique system uses heat from subsequent rinse cycles, which ensures smooth temperature transitions and spotless drying. Another advantage of the Heat Exchanger is that it dries dishes by condensation using residual heat.



**AquaStop**

**Aqua-Stop**

The Aqua-stop safety system prevents any kind of water damage. No matter whether it occurs at the feed or drain hose or through a leak in the appliance itself.



**aquaSensor**


**Aqua Sensor**

The Aqua Sensor can detect if the rinse water is clean enough to be used in the next wash cycle, thus decreasing water consumption by 3-6 litres. When the level of soiling is too high the water is replaced by fresh water

SN26T552EU




<b>Product Description</b>	<b>60CM STAINLESS STEEL DISHWASHER 5 TEMPERATURES</b>
<b>Programmes</b>	Auto 65°-75°C, Auto 45°-65°C, Auto 35°-45°C, Economy 50°C, Quick wash 45 °C, Pre Rinse Special functions: VarioSpeed/ Half Load / Intensive Zone / Energy Save
<b>Comfort and Safety</b>	Capacity: 13 place settings Zeolith drying GlassProtect—Glass and porcelain are washed with greatest possible care AquaSensor—a light barrier recognises the dirt in the water and continues with less soiled water AquaVario System —the force of spray gets automatically adjusted according to the level of soiling Heat Exchanger —for hygienic drying, prevents thermal shock Auto 3 in 1 detergent detection for the best rinsing and wash result Curved Slim Spray Arms metalTouch operation LCD control panel with plain text Electronic delay timer (1 –24hrs) Height adjustable top basket with 3-stage RackMatic Fold down racks in top basket (6x) and bottom basket (6x) Alarm to indicate cycle end 3-fold corrugated filter system Aqua Stop with guarantee against flooding Dishwasher cavity: Stainless Steel
<b>Product Specs</b>	Dimensions (H x W x D): 84.5 x 60.0 x 57.3 cm Consumption rate: E co 50°C / 12l / 1.05 kWh Noise level: 41 dB Rating: 2300 Watt



SE24M863EU



<b>Product Description</b>	<b>DISHWASHER, SILVER INOX DOOR PANEL, ANTI-FINGERPRINT 5 TEMPERATURES</b>
<b>Programmes</b>	Intensive 70°C, Auto 55 °C - 65 °C, Eco 50°C, Quick Wash 45°C Special functions: VarioSpeed
<b>Comfort and Safety</b>	Capacity: 12 place setting Aqua Sensor – a light barrier recognises the dirt in the water and continues with less soiled water Auto 3 in 1 detergent detection for the best rinsing and wash result Curved Spray Arms Electronic delay timer (1 - 19 hrs) Electronic time remaining display, low salt and rinse aid indicator Height adjustable top basket with RackMatic Aqua Stop with guarantee against flooding Dishwasher cavity: Stainless Steel / Polinox
<b>Product Specs</b>	Dimensions (H x W x D): 85.0 x 60.0 x 60.0cm Consumption rate: Eco 50°C / 13l / 1.05kWh Noise level: 49dB Rating 2300W




SE26T290EU



(While stocks last)


<b>Product Description</b>	<b>60CM DISHWASHER 6 TEMPERATURES</b>
<b>Programmes</b>	Auto 65 °C - 75 °C, Auto 55°C - 65°C, Auto 35°C - 45°C, Eco 50°C, Quick Wash 45°C, Pre-rinse Special functions: VarioSpeed / Half Load
<b>Comfort and Safety</b>	Number of standard place settings: 14 GlassProtect – Glass and porcelain are washed with greatest possible care. AquaSensor – A light barrier recognises the dirt in the water and continues with less soiled water. Heat Exchanger – For hygienic drying prevents thermal shock. Auto 3-in-1 – Detergent detection for the best rinsing and wash result 5 Spray levels with curved spray arms. Electronic delay timer (1-19 hrs). Electronic time remaining display, low salt and rinse aid indicator. Electronic salt regeneration. Height adjustable top basket with RackMatic. Fold down racks in top and bottom basket. Baking tray spray head. Acoustic signal to indicate cycle end. Aqua Stop with guarantee against flooding Dishwasher cavity: stainless steel
<b>Product Specs</b>	Dimensions (H x W x D): 81.0 X 60.0 X 60.0 cm Consumption rate: E co 50°C / 12 l / 1.05 kWh Noise level: 44 dB Rating: 2300 W



SN26T290EU




<b>Product Description</b>	<b>60CM WHITE DISHWASHER 6 TEMPERATURES</b>
<b>Programmes</b>	Auto 65 °C - 75 °C, Auto 45 °C - 65 °C, Auto 35 °C - 45 °C, Eco 50°C, Quick wash 45°C, Pre-rinse Special functions: VarioSpeed / Half Load / Sanitation / Intensive Zone
<b>Comfort and Safety</b>	Number of standard place settings: 14 GlassProtect – Glass and porcelain are washed with greatest possible care. Aqua Sensor – a light barrier recognises the dirt in the water and continues with less soiled water AquaVario System – the force of spray gets automatically adjusted according to the level of soiling Heat Exchanger – for hygienic drying, prevents thermal shock Auto 3 in 1 detergent detection for the best rinsing and wash result 5 Spray levels with curved spray arms metalTouch operation LCD control panel with plain text Remaining time, low salt and rinse aid indicator Electronic delay timer (1-24hrs) Height adjustable top basket with 3 stage RackMatic Fold down racks in top basket (6x) and bottom basket (6x) 3-fold corrugated filter system Acoustic end of cycle indicator Aqua Stop with guarantee against flooding Dishwasher cavity: Stainless Steel
<b>Product Specs</b>	Dimensions (H x W x D): 84.5 x 60.0 x 60.0 cm Consumption rate: E co 50°C / 10l / 0.98kWh Noise Level: 40 dB Rating: 2300 W



SN25M200EU



<b>Product Description</b>	<b>60CM WHITE DISHWASHER 4 TEMPERATURES</b>
<b>Programmes</b>	Intensive 70°C, Auto 45 °C - 65 °C, Eco 50°C, Quick Wash 45°C, Pre-Rinse Special functions: Vario Speed
<b>Comfort and Safety</b>	Number of standard place settings: 13 Aqua Sensor – a light barrier recognises the dirt in the water and continues with less soiled water AquaVario System – the force of spray gets automatically adjusted according to the level of soiling Auto 3 in 1 detergent detection for the best rinsing and wash result 5 Spray levels with Curved Spray arms Electronic delay timer (1 -24 hrs) Electronic time remaining display, low salt and rinse aid indicator Height adjustable top basket with 3 stage RackMatic Fold down racks in top baskets (2x) and bottom basket (2x) 3-fold corrugated filter system Aqua Stop with guarantee against flooding Dishwasher cavity: Stainless Steel
<b>Product Specs</b>	Dimensions (H x W x D): 84.5 x 60.0 x 60.0 cm Consumption rate: E co 50°C / 12l / 1.05kWh Noise level: 48 dB Rating: 2300 W



SE25E258EU



<b>Product Description</b>	<b>60CM WHITE DISHWASHER 4 TEMPERATURES</b>
<b>Programmes</b>	Intensive 70°C, Normal 65°C, Eco 50°C, Quick Wash 45°C, Pre-Rinse Special functions: Half Load
<b>Comfort and Safety</b>	Auto 3 in 1 detergent detection for the best rinsing and wash result 5 spray levels with curved spray arms Electronic delay timer (1-19 hrs) and time remaining display Low salt and rinse aid indicator Dishwasher cavity: stainless steel
<b>Product Specs</b>	Dimensions (H x W x D): 85.0 x 60.0 x 60.0 cm Consumption rate: E co 50°C / 17l / 1.05kWh Noise level: 54 dB Rating: 2300 W



**SF25M853EU**


<b>Product Description</b>	<b>45CM SILVER INOX DISHWASHER 4 TEMPERATURES</b>
<b>Programmes</b>	Intensive 70°C, Normal 65°C, Eco 50°C, Quick Wash 45°C, Pre-rinse Special function: Vario Speed
<b>Comfort and Safety</b>	Capacity: 9 place setting Auto 3 in 1 detergent detection for the best rinsing and wash result Curved Spray arms Low salt and rinse aid indicator Electronic delay timer (1 - 19 hrs) and remaining time display Height adjustable top basket Fold down racks in bottom basket (2x) Aqua Stop with guarantee against flooding Dishwasher cavity: stainless steel
<b>Product Specs</b>	Dimensions (H x W x D): 85.0 x 45.0 x 60.0 cm Consumption rate: Eco 50°C / 11l / 0.80kWh Silence: 52 dB Rating: 2300 W


**SF25M253EU**


<b>Product Description</b>	<b>45CM WHITE DISHWASHER 4 TEMPERATURES</b>
<b>Programmes</b>	Intensive 70°C, Normal 65°C, Eco 50°C, Quick Wash 45°C, Pre-rinse Special function: Vario Speed
<b>Comfort and Safety</b>	Capacity: 9 place setting Auto 3 in 1 detergent detection for the best rinsing and wash result Curved spray arms Low salt and rinse aid indicator Electronic delay timer (1-19 hrs) and remaining time display Height adjustable top basket Fold down racks in bottom basket (2x) Aqua Stop with guarantee against flooding Dishwasher cavity: stainless steel
<b>Product Specs</b>	Dimensions (H x W x D): 85.0 x 45.0 x 60.0 cm Consumption Rate: Eco 50°C / 11 litres / 0.80 kWh Silence: 52 dB Rating: 2300 W



# World first – VarioSoft drum. Highly efficient, gentle and time saving.

Best wash results, shorter wash time and best treatment.



Asymmetric paddles and rain drop drum pattern for powerful and gentle laundry care.



Largest drum in under-counter dimensions on the market



Anti-Stain System

## World first – Anti-stain System. The correct treatment for every stain.

Grass, tomato, red wine. Stains are not the same. Now, for the first time a washing machine can treat stains with hot or cold water and longer or shorter washing cycles



Red wine



Coffee



Tea



Cosmetics



Egg



Chocolate



Tomato



Butter / oil



Baby food



Blood




Dirty socks



Sweat



Soil




Grass

**WM14S791ME**


<b>Product Description</b>	<b>TOTAL TEXTILE MANAGEMENT AUTOMATIC WASHING MACHINE 1400 RPM</b>
<b>Programmes</b>	Programmes: Dark Wash, Curtains, Business, Cotton, Delicates/Silk, Wool, Mix Special Program: Super Quick / 15 minutes Anti-stains technology
<b>Comfort and Safety</b>	Max. spin speed: 1400 rpm Touch control buttons: Temperature and Spin Speed Large LCD Display for program progress indication, temperature, spin speed, remaining time and start time delay (1-24hrs)ASF Automatic load adjustment and foam suppression feature Vario soft drum Aqua Stop White door with alu –look frame porthole Buzzer to indicate program end Child Lock
<b>Product Specs</b>	Capacity: 8kg Consumption rates: 56l / 1.36kWh / 135min Rating: 2300 W Unit dimensions (H x W x D): 84.2 x 60.0 x 59.0 cm Height for building under: 82.0 cm


**WM12S441ME**


<b>Product Description</b>	<b>TOTAL TEXTILE MANAGEMENT AUTOMATIC WASHING MACHINE 1200 RPM</b>
<b>Programmes</b>	Programmes: Dark Wash, Curtains, Business, Cotton, Delicates/Silk, Wool, Mix Special Program: Super Quick / 15 minutes
<b>Comfort and Safety</b>	Max. spin speed: 1200rpm Touch control buttons: Temperature and Spin Speed Large LCD Display for program progress indication, temperature, spin speed, remaining time and start time delay (1-24hrs) Automatic load adjustment and foam suppression feature Vario soft drum Aqua Stop White door with alu –look frame porthole Buzzer to indicate program end Child Lock
<b>Product Specs</b>	Capacity: 8kg Consumption rates: 56l / 1.36kWh / 135min Rating: 2300 W Unit dimensions (H x W x D) 84.2 x 60.0 x 59.0 cm Height for building under: 82.0 cm





SIEMENS

Jeans/Dunkle Wäsche  
Gardinen  
Desserts  
Handtaschen  
Outdoor- & Sportkleidung  
Super 15  
Allergiker  
Aust.  
Koch/Eiszeit  
Bunt Eco  
Pflegeleicht  
Mix  
Fein/Seide  
160 Welle  
Schleudern  
Schnell

60  
800  
60 min  
800

Start/Pause

EXTRAKLASSE S 16-79

extraKLASSE

# It's the little technical things that make Siemens laundry appliances exceptional.

**Take advantage of the fastest wash programme on the market**  
Superfast washing in record time! Fast washing of 2 kg of washing in only 15 minutes – with main wash, rinsing and spinning.

**Treating delicate garments with the care they deserve**  
A particularly gentle wash programme that can be trusted with silks, delicate viscose and synthetic items without worry. Check the care label first to ensure that the silk is machine washable.

**The special wash for modern sportswear textiles**  
Chemical fibres and high tech materials have conquered the fashion world and revolutionised sportswear. With the sportswear programme Logixx 7 Sensitive offers optimum care for these sensitive fabrics that, for the most part, must be washed at low temperatures and gently spun.

- The optimum, gentle wash for modern micro fibres and specially for sportswear.
- Low wash temperatures, may be selected from "cold" to 40°C.
- Low spin speeds, as synthetics absorb little water – and short spinning at the end reduces creasing.

**Rinse / freshen up**  
A light wash without detergent that takes only 20 minutes and reduces energy use.

**Dark wash**  
Specifically designed for dark clothes. This new programme ensures that no powdery deposits can be found after washing. Available in a range of temperatures, this programme uses reduced spin during the rinse process and final spin to avoid formation of creases, as well as added rinsing to wash out any detergent residue.

**AquaSpa wash system**  
A wash and shower system for optimum washing results.

**Gentle wash actions and targeted spinning**  
The woollens hand wash programme is tailored for the optimum treatment of woollens which runs at only 27 rpm with a soft wash action and special spin phase.

**Automatically perfect, economical washing**  
The automatic load adjustment function assures during the wash process that only the amount of energy and water required for the respective load and no more is used – so that when the machine washes a 2 kg load only the electricity and water required for the 2 kg are used.

**Convenient: dialogue with TouchControl buttons**  
For every programme selected, the dialogue display suggest the best temperature to spin speed ratio. This ratio may be changed individually according to wash instructions or one's own experience.



WOOLMARK

## Woolmark

Woolmark guarantees fibre content and provides quality specifications



## Wool basket – an innovative idea for drying wool

The woollens are dried flat, don't rotate in the drum and, more importantly, don't touch the sides which can become hot. The heat is produced slowly and kept at a precise level to help prevent shrinking and felting.

## Multiple water protection

All our machines are fitted with a supplt hose designed to withstand 7 times normal water pressure. They also have overflow prevention in the event of a malfunction of the machine.

## Stainless steel inner drum

Made from stainless steel, the inner drum is securely encased on the outer drum. The outer drum is made of polyinox. This special material does not rust and helps to maintain heat within the drum for efficient energy usage.

	WM12E42XME	WM10E162ME	WD12D528ZA
			
	   Rapid 15	 	  Rapid 15
<b>Product Description</b>	SILVERLINE AUTOMATIC WASHING MACHINE 1200 RPM	AUTOMATIC WHITE WASHING MACHINE	SILVERLINE ELECTRONIC WASHER DRYER 1200 RPM
<b>Programmes</b>	Special Programmes: Business, Outdoor, Super Quick 15 min., Mixed Load, Delicates/Silk, Handwash Wool	Special Programmes: Intensive, Mixed Load, Handwash Wool, Delicates	Maximum washing load 5kg – Drying load 2.5kg User-friendly operation with range of programs in text and symbol LCD Display for programme status: Time remaining display and time delay (1-24hrs), Spin Speed, Drying, Temperature Child lock None stop washing and drying program for 2.5 kg Multiple water protection 30cm porthole and 180° door opening angle
<b>Comfort and Safety</b>	Spin Speed: 400 – 1200rpm Touch control buttons: Stains, Pre-wash, Reduced Ironing, Rinse Plus Fully electronic control dial for all washing programmes Large LCD Display for program progress indication, temperature, spin speed, remaining time and start time delay AquaTronic wash system Automatic load adjustment and foam suppression feature Multiple water protection 30cm door with 180° door opening angle Buzzer	Spin Speed: 600 – 1000rpm Touch control buttons: Stains, Prewash, Reduced Ironing, Rinse Plus Fully electronic control dial for all washing programmes LED indication for programme status AquaTronic wash system Automatic load adjustment and foam suppression feature Multiple water protection 30cm door in chrome look with 180° door opening angle Buzzer	<b>Washing Machine</b> Spin speed: 400 – 1200rpm Push Buttons: Start, Intensive, Prewash, Extra Rinse, Temperature, Spin Speed, Time Delay Special programmes: Super Quick 15 min., Mixed Load, Business, Outdoor, Delicates/Silk, Handwash Wool Fully Electronic controlled, very quiet Automatic load and foam detection feature Aqua Spar system for faster water penetration and more efficient rinsing <b>Dryer</b> Humidity and time controlled 2 programmes: Intensive and Gentle drying
<b>Product Specs</b>	Product Specs Capacity: 7kg Consumption rates: 49l / 1.19 kWh / 135 min Rating: 2300 W Unit dimensions (H x W x D): 84.7 x 60.0 x 59.0 cm Height for building under: 82.0 cm	Capacity: 7kg Consumption rates: 49l / 1.19kWh / 135min Rating: 2300W Unit dimensions (H x W x D): 84.7 x 60.0 x 59.0 cm Height for building under: 82.0 cm	Capacity: 5 kg / 2.5 kg drying Consumption Rates: 49l / 0.95 kWh / 135 min Rating: 2200 W Unit dimensions: (H x W x D) 85.0 x 60.0 x 56.0 cm



Product Description	WHITE CONDENSOR TUMBLE DRYER	SILVER TUMBLE DRYER REAR AND SIDE VENTED	WHITE ELECTRONIC TUMBLE DRYER REAR AND SIDE VENTED
<b>Programmes</b>	Fully electronic control dial for sensor drying programmes, timed and special programmes Wool basket program, for drying without creasing, pressure marks and shrinking Special programmes: Mix, Dessous, Rapid 40, Outdoor	9 Humidity controlled programmes Time controlled programmes	9 Humidity controlled programmes Time controlled programmes
<b>Comfort and Safety</b>	LCD Display for remaining time, time delay, program progress indication, special functions and service hints Touch control buttons for: start / stop, low heat / super delicate, less ironing, menu change Electronic delay timer (1-24hrs) Extra functions: child and appliance lock Anti-wrinkle cycle (120min) at the end of the program Airflow drying system: stainless Steel drum with textile care structure, soft design paddles Drum interior light Easy clean filter Glass door, door hinged on right (not reversible)	Touch Control: Start / start, low heat LED indicators for program status Anti-wrinkle cycle (60min) Airflow drying system: galvanised drum with textile care structure, soft design paddles Door hinged on right (not reversible)	Touch Control: Start / start, low heat LED indicators for program status Anti-wrinkle cycle (60min) Airflow drying system: galvanised drum with textile care structure, soft design paddles Door hinged on right (not reversible)
<b>Product Specs</b>	Capacity: 8kg Rating: 2800 W Unit dimensions (H x W x D): 84.2 x 59.8 x 62.5 cm Built-Under dimensions (H x W x D): 81.9 x 59.8 x 62.5 cm	Capacity: 7kg Rating: 2800W Unit dimensions (H x W x D): 84.2 x 59.8 x 62.5 cm Built-Under dimensions (H x W x D): 81.9 x 59.8 x 62.5 cm	Capacity: 7kg Rating: 2800 W Unit dimensions (H x W x D): 84.2 x 59.8 x 62.5 cm Built-Under dimensions (H x W x D): 81.9 x 59.8 x 62.5 cm



# Siemens refrigeration and freezing: Built-in convenience and comfort.



## Anti-bacteria fridge lining system from Siemens.

The safety shield for your food. Anti-bacteria is a natural silver-based substance with which the inner walls and door interiors of Siemens fridges is coated.

On these surfaces it acts as a permanent barrier to fungi and thus provides a further contribution to your health. Anti-bacteria together with no-frost and multi-air flow means that food stays fresher longer. The Anti-bacteria lining reduces unpleasant odours and avoids discolouration of the inside of your fridge.

## No-frost technology

Our refrigerator-freezer combinations and freezers with Allfrost technology allow you to freeze and store food at all levels throughout the freezer compartment. Say goodbye to the inconvenience of rearranging your frozen foods – just freeze wherever there happens to be available space. In freezers and fridge/ freezer combinations equipped with No-Frost the cool air is distributed over the whole compartment by specific ventilation. The air is not as humid as warmer air and the thawed water evaporates outside the fridge. The result is dry cool air and no ice on side panels, rear or food. You do not have to defrost your freezer anymore.

## Even cooling with the multi air-flow system

Air outlets at all levels to ensure even air distribution at any time.

## Dynamic cooling

Fan assisted distribution ensures even cooling throughout the appliance.

## Automatic defrosting

The refrigerator zone defrosts itself. The small amount of defrosting condensate runs into a tray at the rear of the appliance where it evaporates outside the fridge. And because the minimum temperature is maintained in the freezer compartment, you no longer have to fear spoilage of your foods in the freezer storage compartment or freezer section.

## Acoustic and visual alarm

The alarm indicator light and/or buzzer will sound if the temperature rises in the fridge or freezer.

## Electronic temperature control

The temperature is controlled accurately. The temperature that is displayed on an exterior display will give the correct information about the temperature inside the appliance.


## 0°C compartment

The 0°C compartment is a special cooling zone where fresh meat and poultry can be stored for up to a week while still retaining freshness and aroma. The conditions are near 0°C and humidity factor of around 50%.



## Fresh and cool drawer

In the fresh and cool drawer, storage conditions are above 0°C with humidity of around 90% – ideal conditions for vegetables, herbs and fruit. A special filter to save humidity of your groceries covers the tray. This prevents the increase of micro organisms and thus vitamins and mineral nutrients are preserved.



Fingerprint free

## antiFingerprint

Stainless steel is a great colour but sticky fingers and stainless steel a bad combination. Therefore several models are available with a "steel look", but are fingerprint free and easy to wipe clean.



vitaFresh

## VITAFresh

...

KS38WA40



<b>Product Description</b>	<b>FREESTANDING WINE AND DELI CABINET</b>
<b>Product Features</b>	<p>Metal-edged glass door with stainless steel handle, side panels silver                  Metallic coloured Inner liner                  7 segment electronic control                  Electronic temperature control with external LED display                  Adjustable temperature from +5°C to +22°C                  Glass shelf for deli foods                  Activated carbon filter                  Defrost water outlet                  Door right hinged, not reversible</p>
<b>Interior Features of Refrigerator Section</b>	<p>Active cooling via integrated fan                  Automatic defrost                  2 inside temperature indicators                  5 shelves of which 3 long and 2 short transparent bottle shelves, 1 safety glass shelf                  Capacity: 106 x 750 ml bottles or 78 x 1.0 litre bottles                  Fridge light, manual switch on</p>
<b>Product Specs</b>	<p>Rating: 90 W                  Total Capacity: 368 litres net                  Energy consumption: 212 kWh                  Unit dimensions (H x W x D): 186.0 x 60.0 x 66.0 cm</p>



KS30WA40



<b>Product Description</b>	<b>FREESTANDING WINE AND DELI CABINET</b>
<b>Product Features</b>	<p>Metal-edged glass door with stainless steel handle, side panels silver                  Metallic coloured Inner liner                  7 segment electronic control                  Electronic temperature control with external LED display                  Adjustable temperature from +5°C to +22°C                  Glass shelf for deli foods                  Activated carbon filter                  Defrost water outlet                  Door right hinged, not reversible</p>
<b>Interior Features of Refrigerator Section</b>	<p>Active cooling via integrated fan                  Automatic defrost                  2 inside temperature indicators                  4 shelves of which 2 long and 2 short transparent bottle shelves, 1 safety glass shelf                  Capacity: 87 x 750 ml bottles or 65 x 1.0 litre bottles                  Fridge light, manual switch on</p>
<b>Product Specs</b>	<p>Rating: 90 W                  Total Capacity: 296 litres net                  Energy consumption: 190 kWh                  Unit dimensions (H x W x D): 155.0 x 60.0 x 66.0 cm</p>



KA58NA70



<b>Product Description</b>	<b>541 LITRE SIDE BY SIDE NO-FROST FRIDGE / FREEZER WITH WATER AND ICE DISPENSER</b>
<b>Product Features</b>	<p>★ ★ ★ ★ Freezer</p> <p>100% CFC and HFC free                  No frost freezer section                  Multi Airflow System                  "SUPER FREEZE" function freezer section                  "SUPER COOL" function refrigerator section                  Auto defrost in refrigerator section                  Separate temperature regulation with digital temperature indicator                  Illuminated cold water, crushed ice or ice cubes dispenser                  Door open warning tone for fridge and freezer section                  Freezing capacity: 8kg in 24 hours                  Storage time in event of power failure: 5hrs                  Water filter included</p>
<b>Interior Features of Refrigerator Section</b>	<p>3 safety glass shelves, incl. 1 extendable shelf                  3 transparent drawers                  2 interior light</p>
<b>Interior Features of Freezer Section</b>	<p>3 safety glass shelves, incl 1 extendable shelf                  2 transparent freezer drawers                  4 door trays in freezer section                  Freezer light</p>
<b>Product Specs</b>	<p>Rating: 300W                  Capacity fridge: 334 litres net                  Capacity freezer: 170 litres net                  Energy consumption: 522 kWh / pa                  Unit dimensions (H x W x D): 179.0 x 90.0 x 73.0 cm</p>



KA60NA40



<b>Product Description</b>	<b>541 LITRE SIDE BY SIDE NO-FROST FRIDGE / FREEZER WITH INOX-LOOK DOOR, WATER / ICE DISPENSER AND HOMEBAR</b>
<b>Product Features</b>	<p>★ ★ ★ ★ Freezer</p> <p>100 % CFC/HFC free                  No Frost Freezer section                  Multi Airflow system                  Automatic defrost in refrigerator section                  "SUPER COOL" function for refrigerator section                  "SUPER FREEZE" function for freezer section                  Separate temperature regulation with digital temperature indicator                  Illuminated cold water, crushed ice, and ice cube dispenser                  Door open warning tone for fridge and freezer section                  Storage time in event of power failure: 5 hrs                  Freezing capacity: 10kg in 24 hrs                  Water filter included</p>
<b>Interior Features of Refrigerator Section</b>	<p>3 Safety glass shelves of which 2 are height adjustable, including 1 extendable shelf                  3 transparent drawers                  Dairy Compartment                  2 interior light</p>
<b>Interior Features of Freezer Section</b>	<p>3 Safety glass shelves of which 2 are height adjustable, including 1 extendable shelf                  2 transparent freezer drawers                  4 door trays                  Freezer light</p>
<b>Product Specs</b>	<p>Rating: 300 W                  Capacity fridge: 334 litres net                  Capacity freezer: 170 litres net                  Energy consumption: 522 kWh / pa                  Unit dimensions (H x W x D): 179.0 x 90.0 x 73.0 cm</p>



KG39FP98



<b>Product Description</b>	<b>335 LITRE FROST-FREE FRIDGE / FREEZER COMBINATION WITH VITAFRESH NO FROST BOTTOM FREEZER, STAINLESS STEEL</b>
<b>Product Features</b>	<p>★ ★ ★ ★ Freezer</p> <p>100% CFC/HFC free</p> <p>Anti Bacteria – permanent barrier against fungi for fresher food</p> <p>LCD temperature display with ECO-mode, bottle timer, holiday mode and child lock</p> <p>Freezing capacity: 14kg in 24 hours</p> <p>Height adjustable front feet</p> <p>Door right hinged, reversible</p>
<b>Interior Features of Refrigerator Section</b>	<p>SUPER cool function with automatic switch off</p> <p>Automatic defrost</p> <p>4 safety glass shelves of which 3 are height adjustable</p> <p>Bottle rack, large door trays with dairy compartment</p> <p>Features of VITAFresh Section</p> <p>20°C moist humidity container</p> <p>0°C moist humidity container</p>
<b>Interior Features of VITAFresh Section</b>	<p>2 VITAFresh containers:</p> <p>One 'dry' container up to 50% humidity</p> <p>One humidity container up to 95% humidity</p>
<b>Interior Features of Freezer Section</b>	<p>SUPER freezing with automatic switch off</p> <p>Multi alarm system with memory function and "door open" warning tone</p> <p>3 transparent freezer drawers</p>
<b>Product Specs</b>	<p>Rating: 90W</p> <p>Capacity top fridge: 241 litres net</p> <p>Capacity bottom freezer: 68 litres net</p> <p>Energy consumption: 319 kWh / pa</p> <p>Unit Dimensions: (H x W x D): 200.0 x 60.0 x 65.0 cm</p>









KG49NP94



<b>Product Description</b>	<b>403 LITRE FROST-FREE FRIDGE / FREEZER COMBINATI ON, INOX EASY CLEAN DOOR, NO-FROST BOTTOM FREEZER</b>
<b>Product Features</b>	<p>★ ★ ★ ★ Freezer</p> <p>100% CFC/HFC free</p> <p>Anti Bacteria – permanent barrier against fungi for fresher food</p> <p>LCD temperature display with ECO-mode, bottle timer, holiday mode and child lock</p> <p>Separate fridge and freezer control</p> <p>Acoustic and visual alarm warning system</p> <p>Freezing capacity: 17kg in 24 hours</p> <p>Storage time in event of power failure: 20hrs</p> <p>Height adjustable front feet</p> <p>Door right hinged, reversible</p> <p>Door inox easy clean</p> <p>Side panels stainless steel</p>
<b>Interior Features of Refrigerator Section</b>	<p>SUPER cool function with automatic switch off</p> <p>Multi airflow system</p> <p>Near 0°C compartment</p> <p>4 glass shelves, 3 height adjustable</p> <p>2 vegetable drawers with humidity control</p>
<b>Interior Features of Freezer Section</b>	<p>SUPER freeze function with automatic switch off</p> <p>2 freezer drawers</p> <p>1 freezer compartment with flap</p> <p>Ice Twister Box</p>
<b>Product Specs</b>	<p>Rating: 120W</p> <p>Capacity top fridge: 307 litres net</p> <p>Capacity bottom freezer: 82 litres net</p> <p>Energy consumption: 392 kWh / pa</p> <p>Unit dimensions (H x W x D): 200.0 x 70.0 x 65.0 cm</p>



	KG46NA73	KG46NA03	KD40NA73
			
			
<b>Product Description</b>	<b>360 LITRE FROST-FREE FRIDGE / FREEZER COMBINATION, INOX EASYCLEAN DOOR, NO-FROST BOTTOM FREEZER</b>	<b>360 LITRE FROST-FREE FRIDGE / FREEZER COMBINATION WITH ANTI-BACTERIA NO-FROST BOTTOM FREEZER</b>	<b>378 LITRE FROST-FREE FRIDGE / FREEZER COMBINATION, ST/STEL DOOR, NO-FROST TOP FREEZER</b>
<b>Programmes</b>	<p><b>***</b> Freezer</p> <p>100% CFC and HFC free</p> <p>Anti Bacteria – permanent barrier against fungi for fresher food</p> <p>Twin LED electronic control</p> <p>Separate fridge and freezer control</p> <p>Acoustic and visual alarm warning system</p> <p>Freezing capacity: 16kg in 24 hours</p> <p>Storage time in event of power failure: 18hrs</p> <p>Height adjustable front feet</p> <p>Door right hinged, reversible</p> <p>Door inox easy clean</p> <p>Side panels metallic chrome</p>	<p><b>***</b> Freezer</p> <p>100% CFC and HFC free</p> <p>Anti Bacteria – permanent barrier against fungi for fresher food</p> <p>Multi-Airflow System</p> <p>Separate fridge and freezer control</p> <p>Acoustic and visual alarm warning system</p> <p>Freezing capacity: 16kg in 24 hours</p> <p>Storage time in event of power failure: 18hrs</p> <p>Height adjustable front feet</p> <p>Door right hinged, reversible</p>	<p><b>***</b> Freezer</p> <p>100% CFC/HFC free</p> <p>Anti-Bacteria – Permanent barrier against fungi for fresher food</p> <p>Multi-Airflow system</p> <p>Separate fridge and freezer control</p> <p>Freezing capacity: 8kg in 24hrs</p> <p>Storage time in event of power failure: 17hrs</p> <p>Door right hinged, reversible</p> <p>Door stainless steel</p> <p>Side panels metallic chrome</p>
<b>Interior Features of Refrigerator Section</b>	<p>SUPER cool function</p> <p>Multi-Airflow System</p> <p>Near 0°C compartment</p> <p>3 glass shelves, 2 height adjustable</p> <p>2 vegetable drawers with humidity control</p>	<p>SUPER cool function</p> <p>Multi-Airflow System</p> <p>Near 0°C compartment</p> <p>3 glass shelves, 2 height adjustable</p> <p>2 vegetable drawers with humidity control</p>	<p>SUPER cool function</p> <p>Multi-Airflow System</p> <p>Near 0° compartment</p> <p>4 safety glass shelves, of which 3 are height adjustable</p> <p>2 vegetable containers with humidity control</p> <p>Fridge light</p>
<b>Interior Features of Freezer Section</b>	<p>SUPER freeze function with automatic switch off</p> <p>3 freezer drawers</p> <p>Freezer light</p>	<p>SUPER freeze function with automatic switch off</p> <p>3 freezer drawers</p> <p>Freezer light</p>	<p>SUPER freeze function with automatic switch off</p> <p>Fast freeze compartment</p> <p>Easy twist Ice Box</p>
<b>Product Specs</b>	<p>Rating: 120W</p> <p>Capacity top fridge: 264 litres net</p> <p>Capacity bottom freezer: 82 litres net</p> <p>Energy consumption: 310 kWh/pa</p> <p>Unit dimensions (H x W x D): 185.0 x 70.0 x 65.0 cm</p>	<p>Rating: 120W</p> <p>Capacity top fridge: 264 litres net</p> <p>Capacity bottom freezer: 82 litres net</p> <p>Energy consumption: 391 kWh/pa</p> <p>Unit dimensions (H x W x D): 185.0 x 70.0 x 65.0 cm</p>	<p>Rating: 120 W</p> <p>Capacity bottom fridge: 297 litres net</p> <p>Capacity top freezer: 79 litres net</p> <p>Energy consumption: 405 kWh/pa</p> <p>Unit dimensions (H x W x D): 185.0 x 70.0 x 65.0 cm</p>

KS38RA95



<b>Product Description</b>	<b>357 LITRE STAINLESS STEEL FULL FRIDGE</b>
<b>Product Features</b>	<ul style="list-style-type: none"> <li>100% CFC/HFC free</li> <li>Anti Bacteria – permanent barrier against fungi for fresher food</li> <li>Dynamic cooling</li> <li>Auto defrost</li> <li>Super cool function</li> <li>High-door design, Soft line design</li> <li>Electronically controlled temperature regulation</li> <li>Height adjustable front feet, castors at rear</li> <li>Door left hinged, reversible</li> </ul>
<b>Interior Features</b>	<ul style="list-style-type: none"> <li>7 safety glass shelves of which 6 height adjustable</li> <li>1 transparent vegetable drawer with humidity control</li> <li>Clip on bottle rack</li> <li>2 dairy compartments</li> <li>Krypton light</li> </ul>
<b>Product Specs</b>	<ul style="list-style-type: none"> <li>Rating: 90W</li> <li>Capacity: 355 litres net</li> <li>Energy consumption: 144 kWh</li> <li>Unit dimensions (H x W x D): 185.0 x 60.0 x 65.0 cm</li> </ul>



GS32NA91



<b>Product Description</b>	<b>253 LITRE STAINLESS STEEL NO-FROST FULL FREEZER</b>
<b>Product Features</b>	<ul style="list-style-type: none"> <li>*** Freezer</li> <li>100% CFC/HFC free</li> <li>No frost technology</li> <li>Multi-alarm system with memory function and SUPER freeze function with automatic switch off</li> <li>Electronically controlled temperature regulation and LED's</li> <li>Storage time in event of power failure: 18kg/24hrs</li> <li>Freezing capacity: 24hrs</li> <li>Height adjustable front feet, castors at rear</li> <li>Door right hinged, reversible</li> </ul>
<b>Interior Features</b>	<ul style="list-style-type: none"> <li>3 freezer compartments</li> <li>5 transparent freezer drawers, including 1 Big Box</li> <li>Freezer light</li> <li>Freezing calendar</li> </ul>
<b>Product Specs</b>	<ul style="list-style-type: none"> <li>Rating: 90W</li> <li>Capacity: 247 litres net</li> <li>Energy consumption: 305 kWh</li> <li>Unit dimensions (H x W x D): 185.0 x 60.0 x 65.0 cm</li> </ul>



KS38RA001E



<b>Product Description</b>	<b>357 LITRE FULL FRIDGE</b>
<b>Product Features</b>	<ul style="list-style-type: none"> <li>100% CFC/HFC free</li> <li>Anti Bacteria – permanent barrier against fungi for fresher food</li> <li>Dynamic cooling</li> <li>Auto defrost</li> <li>Super cool function</li> <li>High-door design, Soft line design</li> <li>Electronically controlled temperature regulation</li> <li>Height adjustable front feet, castors at rear</li> <li>Door right hinged, reversible</li> </ul>
<b>Interior Features</b>	<ul style="list-style-type: none"> <li>7 safety glass shelves of which 6 height adjustable</li> <li>1 transparent vegetable drawer with humidity control</li> <li>Clip on bottle rack</li> <li>2 dairy compartments</li> <li>Krypton light</li> </ul>
<b>Product Specs</b>	<ul style="list-style-type: none"> <li>Rating: 90W</li> <li>Capacity: 355 litres net</li> <li>Energy consumption: 144 kWh</li> <li>Unit dimensions (H x W x D): 185.0 x 60.0 x 65.0 cm</li> </ul>



GS32NA21



<b>Product Description</b>	<b>253 LITRE NO-FROST FULL FREEZER</b>
<b>Product Features</b>	<ul style="list-style-type: none"> <li>*** Freezer</li> <li>100% CFC/HFC free</li> <li>High – door design, Soft line design</li> <li>No frost technology</li> <li>Multi-alarm system with memory function and SUPER freeze function with automatic switch off</li> <li>"Door open" warning tone</li> <li>Electronically controlled temperature regulation and LED's</li> <li>Storage time in event of power failure: 18kg/24hrs</li> <li>Freezing capacity: 24hrs</li> <li>Height adjustable front feet, castors at rear</li> <li>Door right hinged, reversible</li> </ul>
<b>Interior Features</b>	<ul style="list-style-type: none"> <li>3 freezer compartments</li> <li>5 transparent freezer drawers, including 1 Big Box</li> <li>Freezer light</li> <li>Freezing calendar</li> </ul>
<b>Product Specs</b>	<ul style="list-style-type: none"> <li>Rating: 90W</li> <li>Capacity: 247 litres net</li> <li>Energy consumption: 305 kWh</li> <li>Unit dimensions (H x W x D): 185.0 x 60.0 x 65.0 cm</li> </ul>





The world around us has become a myriad of change and confusion. We are constantly being cluttered with contradictions and complications that we somehow have to sort through on a daily basis, certain traits have however managed to stand out above the rest and rise out from the clutter.

Quality and style happen to be two of these most sought after traits in today's society. Traits that are truly worth searching for, worth waiting for, and unfortunately far too rare in a world that all too often manages to confuse what is really important to us in our daily lives.

It is this often-illusory search for true quality and style that leads us to something special. The Siemens 3 Year Guarantee is truly something special. The name Siemens epitomizes true quality and guarantees that you can move into the future with style and confidence.

#### **Midrand**

Siemens Domestic Appliances  
Private Bag X36  
Randjespark  
Halfway House 1685  
Rep. of South Africa

#### **Visitors:**

Fifteenth Road  
Randjespark  
Midrand

Tel: (011) 265-7800  
Fax: (011) 265-7817

[www.siemensappliances.co.za](http://www.siemensappliances.co.za)

#### **Cape Town**

Siemens Domestic Appliances  
Post Net Suite #248  
Private Bag X19,  
Milnerton 7435  
Rep. of South Africa

#### **Visitors:**

Shop No. 1, Marconi Centre  
460 Koeberg Road,  
Milnerton 7441

Tel: (021) 550-9900  
Fax: (021) 552-9205/6

#### **BSH Service Centre**

Tel: 0860 026 724  
Fax: 0861 171 780  
E-mail: [applianceserviceza@bshg.com](mailto:applianceserviceza@bshg.com)  
E-mail: [callcentre@anvilconstult.co.za](mailto:callcentre@anvilconstult.co.za)

#### **Spare Parts**

Tel: (011) 265-7853  
Fax: (011) 265-7850

Please note that certain features apply to particular products.  
No responsibility can be accepted for printing errors.